

- c. Type the directory path in the **Selected source directory** or **Selected destination directory** field at the bottom of the window (see Figure 2).




Figure 2 *Installation directory location*

You may also browse to the new location using the browse window, or type the location (in part or in full) in the **Directory Selection Filter** field and click **Filter** to display the directory in the browse window for further browsing if needed (refer to Table 3 for installation directories). Click **Create Directory** to create a new directory if needed.

See Figure 2 for an illustration of the **Select the source directory** window.

- d. When you are done, confirm the path in the **Selected source directory** or **Selected destination directory** field (see Figure 2).
- e. Click **OK** to accept the changes and return to the **OnLink Package Manager** window.

3. Click **Available masters** to display a list of available installation master packages, then click **OnLink Gateway Server** and **OnLink Package Manager** to highlight both (see Figure 3).

Note If no items appear when you click **Available masters**, confirm that the **Source directory** is set to the proper location as listed in Table 3.




Figure 3 *OnLink Package Manager with selected masters*

4. Make sure that **Active operation** is set to **Install**. If it is not, change it by clicking the **Active operation** button and selecting **Install** (see Figure 3).
5. Click **Install**.
6. In the **End User License Agreement** window, click **Accept** to accept the terms of the license agreement.

7. UNIX ONLY: Enter the username and group of the UNIX account that will own the Rainmaker Gateway installation (Figure 4).

This information will be used to set permissions on the installed files; the account does not necessarily have to have *root* permissions.




Figure 4 Gateway account information — UNIX only

8. Click **Next** to continue.

If you entered a username or group that does not exist, an error message will be displayed. You must enter a valid username and group to continue installation.

9. Confirm the destination directory (see Figure 5).

If necessary, change the directory. Type the directory path in the **Destination directory field**, or click **Browse** and choose the new location (refer to Step 2 above for details on changing a directory location).